



JuanMing



# PRODUCT CATALOG

---

Guangzhou Kengming  
Co., Ltd

---

Ice maker  
Ice cream Machine  
Milk tea shop equipment

# COMPANY PROFILE

Guangzhou KengMing Trading Co., Ltd. is a professional producer of commercial Western food equipment.

The products cover high-end kitchen engineering equipment, snack equipment and refrigeration equipment.

Our main sales products include ice machines, ice cream machines, snow ice machines, electric teppanyaki, etc.

In order to ensure the quality of our products, we use advanced equipment and strict production processes for production.



Our goal is to provide excellent service, high quality products, favorable prices and the shortest delivery time to our customers around the world.



# ICE CREAM MACHINE

The JuanMing ice cream machines adopt a digital dual speed ice making design, humanized lifting design, and extremely delicate European style high-quality craftsmanship. The visual operation panel makes it easier for you to operate the machine. The stainless steel body has a long service life and is anti

fouling, with fast cooling speed, fast ice cream formation, exquisite appearance, and powerful functions, easily meeting the needs of large passenger flow. The reasonable design of the body can save space.



milk



mix



chocolate



# PRODUCT FEATURES

## 1. Colorful screen display, easy operation

Using a colorful display panel, the ice cream production process is demonstrated in detail, making it more intuitive and easy to learn how to operate

## 2. Good taste, high puffing

There is a built-in high pressure puffing pump in the machine, which feeds air into the freezing cylinder to make ice cream deeply puffed, making the ice cream more soft, smooth, and delicious, while saving materials and increasing production

## 3. Intelligent control

Automatic control with discharge counting function. The ice cream hardness can be adjusted at any time.

## 4. Brand compressor and Fast cooling

Brand compressor make starting cooling time be shorter, and the first ice cream is discharged quickly.

## 4. Easy to clean


The mixing tank has a unique circular arc angle for cleaning and machine can automatic cleaning, keeping the ice cream clean and hygienic



BRAND COMPRESSOR



STAINLESS STEEL HANDLE



OPERATION PANEL

JM-S20AB  
 Table top machine  
 Mix Hopper:4.3L\*2  
 Cylinder:1.5L\*2

JM-S20B  
 Stand machine  
 Mix Hopper:4.3L\*2  
 Cylinder:1.5L\*2

JM-S28AB  
 Table top machine  
 Mix Hopper:4.3L\*2  
 Cylinder:1.8L\*2



○ JM-S20AB ○ JM-S28AB

○ JM-S20B

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:**Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Cooling way	Output	Refrigerant	Size(mm)
Ice cream machine	JM-S20AB	220V/110V 50HZ/60HZ	1700W	85KG	Air cooling	18-20L/H	R22/R404a R410	504*608*850
Ice cream machine	JM-S20B	220V/110V 50HZ/60HZ	1700W	92KG	Air cooling	18-20L/H	R22/R404a R410	504*608*1177
Ice cream machine	JM-S28AB	220V/110V 50HZ/60HZ	1950W	90KG	Air cooling	22-28L/H	R22/R404a R410	540*720*850

JM-S28B  
 Stand machine  
 Mix Hopper:4.3L\*2  
 Cylinder:1.8L\*2

JM-S42B  
 Stand machine  
 Mix Hopper:6L\*2  
 Cylinder:2.2L\*2

JM-S42AB  
 Table top machine  
 Mix Hopper:6L\*2  
 Cylinder:2.2L\*2



○ JM-S42AB



○ JM-S28B

○ JM-S42B

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:**Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Cooling way	Output	Refrigerant	Size(mm)
Ice cream machine	JM-S28B	220V/110V 50HZ/60HZ	1950W	97KG	Air cooling	22-28L/H	R22/R404a R410	540*720*1380
Ice cream machine	JM-S42AB	220V/110V 50HZ/60HZ	2650W	95KG	Air cooling	42-48L/H	R22/R404a R410	610*816*850
Ice cream machine	JM-S42B	220V/110V 50HZ/60HZ	2650W	102KG	Air cooling	42-48L/H	R22/R404a R410	610*816*1480

JM-S16E  
 Table top machine  
 Mix Hopper:6L  
 Cylinder:1.5L



JM-S16E White



JM-S16E Red



JM-S16E Orange

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:** Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Cooling way	Output	Refrigerant	Size(mm)
Ice cream machine	JM-S16E	220V/110V 50HZ/60HZ	1KW	50KG	Air cooling	16-18L/H	R404a	220*660*720

JM-N20A  
 Table top machine  
 Mix Hopper:4.3L\*2  
 Cylinder:1.5L\*2

JM-N20  
 Stand machine  
 Mix Hopper:4.3L\*2  
 Cylinder:1.5L\*2



○ JM-N20A silver color

○ JM-N20 silver color



○ JM-N20 Purple

○ JM-N20A Purple



○ JM-N20 black

○ JM-N20A black

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:**Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Cooling way	Output	Refrigerant	Size(mm)
Ice cream machine	JM-N20A	220V/110V 50HZ/60HZ	1.7KW	85KG	Air cooling	18-20L/H	R22	504*608*850
Ice cream machine	JM-N20	220V/110V 50HZ/60HZ	1.7KW	92KG	Air cooling	18-20L/H	R22	504*608*1177

JM-N20A  
 Table top machine  
 Mix Hopper:4.3L\*2  
 Cylinder:1.5L\*2

JM-N20  
 Stand machine  
 Mix Hopper:4.3L\*2  
 Cylinder:1.5L\*2



○ JM-N20 pink

○ JM-N20 blue



○ JM-N20A pink

○ JM-N20A blue



**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:**Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Cooling way	Output	Refrigerant	Size(mm)
Ice cream machine	JM-N20A	220V/110V 50HZ/60HZ	1.7KW	85KG	Air cooling	18-20L/H	R22	504*608*850
Ice cream machine	JM-N20A	220V/110V 50HZ/60HZ	1.7KW	92KG	Air cooling	18-20L/H	R22	504*608*1177



○ JM-N28A  
silver color

○ JM-N28  
silver color

JM-N28A  
Table top machine  
Mix Hopper:4.3L\*2  
Cylinder:1.8L\*2

JM-N28  
Stand machine  
Mix Hopper:4.3L\*2  
Cylinder:1.8L\*2



○ JM-N28  
black

○ JM-N28A  
black



○ JM-N28  
purple

○ JM-N28A  
purple

**Mark:** Voltage default 220V/50HZ  
customizable 220V/60HZ, 110V/60HZ



**Note:**Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Cooling way	Output	Refrigerant	Size(mm)
Ice cream machine	JM-N28A	220V/110V 50HZ/60HZ	1.95KW	90KG	Air cooling	22-28L/H	R22	540*720*850
Ice cream machine	JM-N28	220V/110V 50HZ/60HZ	1.95KW	97KG	Air cooling	22-28L/H	R22	540*720*1380

JM-ND28A  
 Table top machine  
 Mix Hopper:4.3L\*2  
 Cylinder:1.8L\*2



○ JM-ND28A orange

○ JM-ND28A purple

JM-ND28  
 Stand machine  
 Mix Hopper:4.3L\*2  
 Cylinder:1.8L\*2



○ JM-ND28 orange

○ JM-ND28 purple



○ JM-ND28 silver color

○ JM-ND28A silver color

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:**Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Cooling way	Output	Refrigerant	Size(mm)
Ice cream machine	JM-N28A	220V/110V 50HZ/60HZ	1.95KW	90KG	Air cooling	22-28L/H	R22	540*720*850
Ice cream machine	JM-N28	220V/110V 50HZ/60HZ	1.95KW	97KG	Air cooling	22-28L/H	R22	540*720*1380

JM-ND42  
Stand machine  
Mix Hopper:6L\*2  
Cylinder:2.2L\*2



○ JM-ND42 purple

○ JM-ND42 orange

JM-ND42A  
Table top machine  
Mix Hopper:6L\*2  
Cylinder:2.2L\*2



○ JM-ND42A orange

○ JM-ND42A purple



○ JM-ND42 silver color

○ JM-ND42A silver color

**Mark:** Voltage default 220V/50HZ  
customizable 220V/60HZ, 110V/60HZ



**Note:** Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Cooling way	Output	Refrigerant	Size(mm)
Ice cream machine	JM-ND42A	220V/110V 50HZ/60HZ	2.65KW	95KG	Air cooling	42-48L/H	R22	610x816x850
Ice cream machine	JM-ND42	220V/110V 50HZ/60HZ	2.65KW	102KG	Air cooling	42-48L/H	R22	610*816*1480

# ICE MAKER

The Juan Ming ice maker is produced by the latest technology, and the machine body is made of high-quality stainless steel, which is durable and long using life. Using high-quality compressor to ensure fast and continuous produce ice, providing perfectly shaped and crystal clear ice, such as cube ice, crescent ice, and flake ice every time. The LED control panel is easy to operate. due

to different ice maker models, the output ranges from 20KG to 500KG



Cube ice



Flake ice



Crescent ice



# JMFK

## Commercial Cube Shape Ice Machine

### Fully smart control panel

1. Ice making reservation function
2. Automatic ice making and dropping
3. Automatic cleaning function






Wanbao compressor



Air cooling



Ice Cube Tray



Door of Ice Tank



Huge Heat-Dissipation hole



Crystal clear Cube ice

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



HS CODE: 8418699090

Model	Output (day)	Storage	Ice number (cycle)	Power	Net Weight	Cooling way	Voltage	Refrigerant	Size(mm)
JMFK-20	20KG	13L	4*8	320W	36KG	Air cooling	220V/110V 50HZ/60HZ	R290	403*535*773
JMFK-40	40KG	15L	5*9	420W	40KG	Air cooling	220V/110V 50HZ/60HZ	R290	496*535*773
JMFK-60	60KG	64L	5*14	650W	76KG	Air cooling	220V/110V 50HZ/60HZ	R290	696*612*1024
JMFK-90	90KG	64L	6*18	750W	80KG	Air cooling	220V/110V 50HZ/60HZ	R22	816*612*1024
JMFK-120	120KG	64L	7*18	850W	80KG	Air cooling	220V/110V 50HZ/60HZ	R22	816*612*1024

# JMFK

## Commercial Cube Shape Ice Machine

### Big output model

1. Large ice storage capacity
2. High quality compressor
3. About 12 minutes rapid ice cube formation





Wanbao compressor



water-cooling system



Cube Ice



Accessories

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



HS CODE: 8418699090

Model	Output (day)	Storage	Ice number (cycle)	Power	Net Weight	Cooling way	Voltage	Refrigerant	Size(mm)
JMFK-150	150KG	140L	14*13	985W	90KG	Water cooling	220V/110V 50HZ/60HZ	R22 R404A	587*842*1586
JMFK-250	250KG	250L	13*18	900W	130KG	Water cooling	220V/110V 50HZ/60HZ	R22 R404A	790*848*1670
JMFK-350	350KG	250L	15*18	1.1KW	150KG	Water cooling	220V/110V 50HZ/60HZ	R22 R404A	790*848*1670
JMFK-500	500KG	250L	18*19	1.62KW	175KG	Water cooling	220V/110V 50HZ/60HZ	R22 R404A	790*848*1820

JMFK-700  
 Power:3.1KW  
 Output:700KG/24H  
 Water cooling

JMFK-1000  
 Power:3.24KW  
 Output:1000KG/24H  
 Water cooling



○ JMFK-700

○ JMFK-1000

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



HS CODE: 8418699090

Model	Output (day)	Storage	Ice number (cycle)	Power	Net Weight	Cooling way	Voltage	Refrigerant	Size(mm)
JMFK-700	700KG	445L	15*18*2	2.2KW	280KG	Water cooling	220V/110V 50HZ/60HZ	R22 R404A	1550*832*1630
JMFK-1000	1000KG	445L	18*19*2	3.24KW	330KG	Water cooling	220V/110V 50HZ/60HZ	R22 R404A	1550*832*1736

# JMYY

## Commercial Crescent Ice Machine


### Full intelligent control

- 1.Dynamic display of process
- 2.High quality stainless steel body
- 3.Powerful compressor and radiator system





Air cooling



Door of Ice Tank



High quality compressor



Crescent ice



Accessories

**Mark:** Voltage default 220V/50HZ  
customizable 220V/60HZ, 110V/60HZ



HS CODE: 8418699090

Model	Output (day)	Storage	Ice number (cycle)	Power	Net Weight	Cooling way	Voltage	Refrigerant	Size(mm)
JMY-40	40KG	20L	4*6*2	330W	36KG	Air cooling	220V/110V 50HZ/60HZ	R290	500*525*770
JMY-70	69KG	64L	5*8*2	450W	65KG	Air cooling	220V/110V 50HZ/60HZ	R22	725*606*1026
JMY-100	103KG	64L	6*10*2	460W	67KG	Air cooling	220V/110V 50HZ/60HZ	R22	725*606*1026

JMYY-165  
 Power:1.1KW  
 Output:165KG/24H  
 Water cooling

JMYY-260  
 Power:1.75KW  
 Output:260KG/24H  
 Water cooling

JMYY-480  
 Power:2.8KW  
 Output:483KG/24H  
 Water cooling



○ JMYY-165    ○ JMYY-260    ○ JMYY-480

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



HS CODE: 8418699090

Model	Output (day)	Storage	Ice number (cycle)	Power	Net Weight	Cooling way	Voltage	Refrigerant	Size(mm)
JMYY-165	165KG	420L	8*12*2	1.1KW	120KG	Water cooling	220V/110V 50HZ/60HZ	R22	790*870*1808
JMYY-260	260KG	420L	10*15*2	1.75KW	128KG	Water cooling	220V/110V 50HZ/60HZ	R22	790*870*1808
JMYY-480	483KG	420L	10*14*2*2	2.8KW	140KG	Water cooling	220V/110V 50HZ/60HZ	R22	790*870*1808

# JMPB

## Commercial Flake Ice Machine

### One-key refrigeration

- 1.Blue light sterilization
- 2.Thickened one-piece molded ice bucket
- 3.Powerful compressor and radiator system



JMPBS-200  
 Power:1.3KW  
 Output:200KG/24H  
 Water cooling

JMPBS-300  
 Power:1.65KW  
 Output:300KG/24H  
 Water cooling

JMPBS-500  
 Power:2.3KW  
 Output:500KG/24H  
 Water cooling



○ JMPBS-200

○ JMPBS-300 ○ JMPBS-500



○ JMPBF-200

○ JMPBF-300 ○ JMPBF-500

JMPBF-200  
 Power:1.3KW  
 Output:200KG/24H  
 Air cooling

JMPBF-300  
 Power:1.65KW  
 Output:300KG/24H  
 Air cooling

JMPBF-500  
 Power:2.3KW  
 Output:500KG/24H  
 Air cooling

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



HS CODE: 8418699090

Model	Output (day)	Storage	Power	Net Weight	Cooling way	Voltage	Refrigerant	Size(mm)
JMPBS-200	200KG	420L	1.3KW	95KG	Water cooling	220V/110V 50HZ/60HZ	R22	775*820*1740
JMPBS-300	300KG	420L	1.65KW	105kg	Water cooling	220V/110V 50HZ/60HZ	R22	775*820*1740
JMPBS-500	500KG	420L	2.3KW	165kg	Water cooling	220V/110V 50HZ/60HZ	R22	870*820*1840
JMPBF-200	200KG	420L	1.3KW	95KG	Air cooling	220V/110V 50HZ/60HZ	R22	775*820*1740
JMPBF-300	300KG	420L	1.65KW	105kg	Air cooling	220V/110V 50HZ/60HZ	R22	775*820*1740
JMPBF-500	500KG	420L	2.3KW	165kg	Air cooling	220V/110V 50HZ/60HZ	R22	870*820*1840

LJY120-1  
 Milk Tea Shaking Machine  
 Shaker cup:350-750ML  
 Speed:340RPM



○ LJY120-1

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:**Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Shaker cup	Clock	speed	Size(mm)
Milkshake machine	LJY120-1	220V/110V 50HZ/60HZ	120W	21.2KG	350-750ML	1-180S	340RPM	300*350*365

LJY120-2  
 Milk Tea Shaking Machine  
 Shaker cup:350-750ML  
 Speed:340RPM



○ LJY120-2

LJY120-2-1L  
 Milk Tea Shaking Machine  
 Shaker cup:350-1000ML  
 Speed:340RPM



○ LJY120-2-1L

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:** Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Shaker cup	Clock	speed	Size(mm)
Milkshake machine	LJY120-2	220V/110V 50HZ/60HZ	120W	21.85KG	350-750ML	1-180S	340RPM	300*350*365
Milkshake machine	LJY120-2-1L	220V/110V 50HZ/60HZ	120W	21.85KG	350-1000ML	1-180S	340RPM	300*350*365

JMCB72-1  
 One pot  
 Automatic Fried Ice  
 Output:15L/H



○ JMCB72-1

JMCB200-1  
 One pot  
 Automatic Fried Ice  
 Output:20L/H



○ JMCB200-1

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:** Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Pot	Capacity	Cooling way	Size(mm)
Fried Ice machine	JMCB72-1	220V/110V 50HZ/60HZ	720W	53KG	One	7L	Air cooling	600*470*810
Fried Ice machine	JMCB200-1	220V/110V 50HZ/60HZ	2KW	53KG	One	7L	Air cooling	600*470*810

JMCB200-2  
Two pot  
Automatic Fried Ice  
Output:30L/H



○ JMCB200-2

JMCB2050  
Fry Ice Cream  
Refrigerant:R22  
Brand compressor



○ JMCB2050

**Mark:** Voltage default 220V/50HZ  
customizable 220V/60HZ, 110V/60HZ



**Note:**Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Pot	Capacity	Cooling way	Size(mm)
Fried Ice machine	JMCB200-2	220V/110V 50HZ/60HZ	2KW	65KG	Two	7L*2	Air cooling	860*470*810
Fried Ice machine	JMCB2050	220V/110V 50HZ/60HZ	2KW	54KG	One	8.75L	Air cooling	600*600*730

JMCB350F-1  
 Air cooling  
 Single Square Pan  
 Refrigerant:R404a



○ JMCB350F-1

JMCB350R-1  
 Air cooling  
 Single Round Pan  
 Refrigerant:R404a



○ JMCB350R-1

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:**Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Pan	Pan depth (mm)	Pan size (mm)	Size(mm)
Fried Ice machine	JMCB350F-1	220V/110V 50HZ/60HZ	1.3KW	40KG	One	25	345*345	470*678*1250
Fried Ice machine	JMCB350R-1	220V/110V 50HZ/60HZ	1.3KW	40KG	One	25	φ300mm	470*678*1250

JMCB350F-2  
 Air cooling  
 Double Square Pan  
 Refrigerant:R404a



○ JMCB350F-2

JMCB350R-2  
 Air cooling  
 Double Round Pan  
 Refrigerant:R404a



○ JMCB350R-2

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:**Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Pan	Pan depth (mm)	Pan size (mm)	Size(mm)
Fried Ice machine	JMCB350F-2	220V/110V 50HZ/60HZ	1.65KW	55KG	Two	25	345*345*2	870*678*1250
Fried Ice machine	JMCB350R-2	220V/110V 50HZ/60HZ	1.65KW	55KG	Two	25	φ300*2	870*678*1250

JMCB10  
 Air cooling  
 Pan depth:10mm  
 Refrigerant:R134a



○ JMCB10

JMCB350F-1A  
 Air cooling  
 Pan depth:30mm  
 Refrigerant:R22

JMCB450F-1A  
 Air cooling  
 Pan depth:45mm  
 Refrigerant:R22



○ JMCB350F-1A    ○ JMCB450F-1A

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:** Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Pan	Pan depth (mm)	Pan size (mm)	Size(mm)
Fried Ice machine	JMCB10	220V/110V 50HZ/60HZ	220W	20KG	One	10	325*265	488*302*328
Fried Ice machine	JMCB350F-1A	220V/110V 50HZ/60HZ	1.2KW	30KG	One	30	305*305	470*528*800
Fried Ice machine	JMCB450F-1A	220V/110V 50HZ/60HZ	1.5KW	45KG	One	45	405*405	570*628*800

# ELECTRIC USED MOBILE FOOD TRUCKS CART

support  
customized



○ CBWZ-1300  
green



○ CBWZ-1300  
blue



Egg waffle maker

Multifunction  
storage cabinet



Mini fried ice  
cream machine

JMTYB-10  
One pot  
Output:10L/H  
table top machine



○ JMTYB-10

JMLYB-16  
One pot  
Output:10L/H  
stand machine



○ JMLYB-16



**Mark:** Voltage default 220V/50HZ  
customizable 220V/60HZ, 110V/60HZ



**Note:** Support most of plugs on the market

Name	Model	Voltage	Power	Pot	Output	Weight	Cooling way	Size(mm)
Gelato ice cream machine	JMTYB-10	220V/110V 50HZ/60HZ	1KW	6L	10L/H	70KG	Air cooling	550*520*610
Gelato ice cream machine	JMLYB-16	220V/110V 50HZ/60HZ	1KW	6L	10L/H	95KG	Air cooling	550*580*1110

Output:20L/H  
Two pot  
Output:20L/H  
stand machine



○ JMLYB-19

JMLYB-20  
Four pot  
Output:40L/H  
stand machine



○ JMLYB-20



**Mark:** Voltage default 220V/50HZ  
customizable 220V/60HZ, 110V/60HZ



**Note:** Support most of plugs on the market

Name	Model	Voltage	Power	Pot	Output	Weight	Cooling way	Size(mm)
Gelato ice cream machine	JMLYB-19	220V/110V 50HZ/60HZ	2KW	6L*2	20L/H	140KG	Air cooling	725*580*1110
Gelato ice cream machine	JMLYB-20	220V/110V 50HZ/60HZ	4KW	6L*4	40L/H	265KG	Air cooling	1000*980*1110

# HARD ICE CREAM MACHINE GELATO



JMLYB-30  
six pot  
Output:60L/H  
stand machine

○ JMLYB-30

**Mark:** Voltage default 220V/50HZ  
customizable 220V/60HZ, 110V/60HZ



**Note:** Support most of plugs on the market

Name	Model	Voltage	Power	Pot	Output	Weight	Cooling way	Size(mm)
Gelato ice cream machine	JMLYB-30	220V/110V 50HZ/60HZ	6KW	6L*6	60L/H	380KG	Air cooling	1500*980*1110



QLB-120  
 Speed:230RPM  
 Ice Thickness:0.1-3mm  
 Ice Height:18cm

○ QLB-120  
 orange

○ QLB-120  
 blue

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:**Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Ice Height (cm)	Ice Thickness (mm)	Color	Size(mm)
Ice Shaver	QLB-120	220V/110V 50HZ/60HZ	120W	17kg	18	0.1-3mm	Orange Blue	330*430*870

LJM120-6  
 Air cooling  
 6 Ice Buckets  
 Brand compressor



○ LJM120-6

LJM130-8  
 Air cooling  
 8 Ice Buckets  
 Brand compressor



○ LJM130-8

**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:** Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Capacity	Cooling way	Compressor	Size(mm)
Icicle Machine	LJM120-6	220V/110V 50HZ/60HZ	1.2KW	49KG	2.2L*6	Air cooling	Brand compressor	585*470*780
Icicle Machine	LJM130-8	220V/110V 50HZ/60HZ	1.3KW	54KG	2.2L*8	Air cooling	Brand compressor	740*475*800

LJM160-12  
Air cooling  
12 Ice Buckets  
Brand compressor



○ LJM160-12

LJM260-20  
Air cooling  
8 Ice Buckets  
Brand compressor



○ LJM260-20

**Mark:** Voltage default 220V/50HZ  
customizable 220V/60HZ, 110V/60HZ



**Note:** Support most of plugs on the market


Name	Model	Voltage	Power	Weight	Capacity	Cooling way	Compressor	Size(mm)
Icicle Machine	LJM160-12	220V/110V 50HZ/60HZ	1.6KW	72KG	2.2L*12	Air cooling	Brand compressor	1050*475*800
Icicle Machine	LJM260-20	220V/110V 50HZ/60HZ	2.6KW	120KG	2.2L*20	Air cooling	Brand compressor	1100*780*920

# POPSICLE MAKER MACHINE



Multiple popsicle models

LJB160-2  
Brand compressor  
Capacity:two molds  
Variety of Popsicle Shapes



○ LJB160-2

**Mark:** Voltage default 220V/50HZ  
customizable 220V/60HZ, 110V/60HZ

EU



UK



US



**Note:**Support most of plugs on the market

Name	Model	Voltage	Power	Weight	Capacity	Cooling way	Compressor	Size(mm)
Popsicle Machine	LJB160-2	220V/110V 50HZ/60HZ	1.6KW	67KG	Two molds	Air cooling	Brand compressor	780*540*975

QLS-180  
 Smart Buttons  
 Color:Black/white  
 Support Caliber:55MM



○ QLS-180  
 black



○ QLS-180  
 white

QLS-180  
 Smart Buttons  
 Color:Black/white  
 Support Caliber:55MM



**Mark:** Voltage default 220V/50HZ  
 customizable 220V/60HZ, 110V/60HZ



**Note:**Support most of plugs on the market

Name	Model	Voltage	Power	Color	Support Caliber	Support Capacity	Weight	Size(mm)
Can Sealing Machine	QLS-180	220V/110V 50HZ/60HZ	180W	black white	55MM	Many kinds are possible	17.55KG	210*380*560