



JuanMing



PRODUCT CATALOG

Guangzhou Kengming
Co., Ltd

Bingsu machine
Ice maker
Ice cream machine

COMPANY PROFILE

Guangzhou KengMing Trading Co., Ltd. is a professional producer of commercial Western food equipment.

The products cover high-end kitchen engineering equipment, snack equipment and refrigeration equipment.

Our main sales products include ice machines, ice cream machines, snow ice machines, electric teppanyaki, etc.

In order to ensure the quality of our products, we use advanced equipment and strict production processes for production.



Our goal is to provide excellent service, high quality products, favorable prices and the shortest delivery time to our customers around the world.



BINGSU MACHINE

Bingsu machine is also called snowflake ice machine and Snow ice machine. There is a stainless steel shell of it, so it is easy to clean. There are high-quality compressor, motor, efficient water cooling, or air cooling and heat dissipation control system. It is mainly used to make snowflake ice, and it is widely used in cold drink chain stores, bars, Chinese hot pot western

restaurants and other entertainment places.



PRODUCT FEATURES

1. Make ice fast

The snow ice come out about 3 seconds after starting. Machine can make snow ice and noodle shape ice.

2. Operating system

Intelligent operating system: touch screen operation, it can set the speed of roller and time according to demand, set the number of copies.

3. Compressor

Imported embraco compressor to ensure stable operation, higher ice efficiency and longer service life.

4. Adjusting speed

The speed of roller can be adjusted, and the ice shape is diverse. The roller is made of 304 stainless steel which is healthy and easy to clean.

4. Fault alarm

When the machine is short of water and the temperature is too high, the machine will automatically sound an alarm and stop working.



SNOW ICE



FINE NOODLE ICE



ROUGH NOODLE ICE



PLANAR ICE



XHJ60F
 Wanbao compressor
 Roller length:6cm
 Power:360W

XHJ90F
 Wanbao compressor
 Roller length:9cm
 Power:420W

Mark: Voltage default 220V/50HZ
 customizable 220V/60HZ, 110V/60HZ



Name	Model	Voltage	Compressor	Power	Output	Roller	Cooling way	Weight	Refrigerant	Size(mm)
Bingsu machine	XHJ60F	220V/110V 50HZ/60HZ	Wanbao	360W	60KG	6CM	Air cooling	19.5KG	R290	300*375*400
Bingsu machine	XHJ90F	220V/110V 50HZ/60HZ	Wanbao	420W	90KG	9CM	Air cooling	21.5KG	R290	320*375*400

XHJ-128P
Embraco compressor
Intelligent panel
Roller length:10cm

XHJ-160P
Brand compressor
Intelligent panel
Roller length:10cm



OXHJ128P

OXHJ160P



OXHJ-128FP

OXHJ-160FP

XHJ-128FP
Embraco compressor
Intelligent panel
Roller length:10cm

XHJ-160FP
Brand compressor
Intelligent panel
Roller length:10cm



Mark: Voltage default 220V/50HZ
customizable 220V/60HZ, 110V/60HZ



GB



UK



EU



US




Name	Model	Voltage	Compressor	Power	Output	Roller	Cooling way	Weight	Refrigerant	Size(mm)
Bingsu machine	XHJ128P	220V/110V 50HZ/60HZ	Embraco	1280W	220KG	10CM	Water cooling	41KG	R404a	395*555*525
Bingsu machine	XHJ160P	220V/110V 50HZ/60HZ	Brand Compressor	960W	200KG	10CM	Water cooling	37KG	R22	395*555*525
Bingsu machine	XHJ128FP	220V/110V 50HZ/60HZ	Embraco	1280W	220KG	10CM	Air cooling	42KG	R404a	395*615*525
Bingsu machine	XHJ160FP	220V/110V 50HZ/60HZ	Brand Compressor	960W	200KG	10CM	Air cooling	38KG	R22	395*615*525



OXHJ-128 OXHJ-160

XHJ-128
Embraco compressor
Roller length:10cm
CE

XHJ-160
Brand compressor
Roller length:10cm
CE



OXHJ-128F OXHJ-160F

XHJ-128F
Embraco compressor
Roller length:10cm
CE

XHJ-160F
Brand compressor
Roller length:10cm
CE



Mark: Voltage default 220V/50HZ
customizable 220V/60HZ, 110V/60HZ



Name	Model	Voltage	Compressor	Power	Output	Roller	Cooling way	Weight	Refrigerant	Size(mm)
Bingsu machine	XHJ128	220V/110V 50HZ/60HZ	Embraco	1280W	220KG	10CM	Water cooling	41KG	R404a	395*555*525
Bingsu machine	XHJ160	220V/110V 50HZ/60HZ	Brand Compressor	960W	200KG	10CM	Water cooling	37KG	R22	395*555*525
Bingsu machine	XHJ128F	220V/110V 50HZ/60HZ	Embraco	1280W	220KG	10CM	Air cooling	42KG	R404a	395*615*525
Bingsu machine	XHJ160F	220V/110V 50HZ/60HZ	Brand Compressor	960W	200KG	10CM	Air cooling	38KG	R22	395*615*525

XHJ-168
 Brand compressor
 Roller length:16cm
 Output:300KG/24H

XHJ-268
 Embraco compressor
 Roller length:16cm
 Output:400KG/24H
 CE



OXHJ168 OXHJ268



XHJ-168F
 Brand compressor
 Roller length:16cm
 Output:300KG/24H

XHJ-268F
 Embraco compressor
 Roller length:16cm
 Output:400KG/24H
 CE

OXHJ168F OXHJ268F



Mark: Voltage default 220V/50HZ
 customizable 220V/60HZ, 110V/60HZ



GB



UK



EU



US



Name	Model	Voltage	Compressor	Power	Output	Roller	Cooling way	Weight	Refrigerant	Size(mm)
Bingsu machine	XHJ168	220V/110V 50HZ/60HZ	Brand Compressor	1300W	300KG	16CM	Water cooling	51KG	R22	453*555*525
Bingsu machine	XHJ268	220V/110V 50HZ/60HZ	Embraco	1800W	400KG	16CM	Water cooling	51KG	R404a	453*555*525
Bingsu machine	XHJ168F	220V/110V 50HZ/60HZ	Brand Compressor	1300W	300KG	16CM	Air cooling	52KG	R22	453*615*525
Bingsu machine	XHJ268F	220V/110V 50HZ/60HZ	Embraco	1800W	400KG	16CM	Air cooling	52KG	R404a	453*615*525

XHJ-168P
 Brand compressor
 Roller length:16cm
 Output:300KG/24H

XHJ-268P
 Embraco compressor
 Roller length:16cm
 Output:400KG/24H
 CE



OXHJ168P

OXHJ268P

XHJ-168FP
 Brand compressor
 Roller length:16cm
 Output:300KG/24H

XHJ-268FP
 Embraco compressor
 Roller length:16cm
 Output:400KG/24H
 CE



OXHJ168FP

OXHJ268FP

Mark: Voltage default 220V/50HZ
 customizable 220V/60HZ, 110V/60HZ



GB



UK



EU



US



Name	Model	Voltage	Compressor	Power	Output	Roller	Cooling way	Weight	Refrigerant	Size(mm)
Bingsu machine	XHJ168P	220V/110V 50HZ/60HZ	Brand Compressor	1300W	300KG	16CM	Water cooling	51KG	R22	453*555*525
Bingsu machine	XHJ268P	220V/110V 50HZ/60HZ	Embraco	1800W	400KG	16CM	Water cooling	51KG	R404a	453*555*525
Bingsu machine	XHJ168FP	220V/110V 50HZ/60HZ	Brand Compressor	1300W	300KG	16CM	Air cooling	52KG	R22	453*615*525
Bingsu machine	XHJ268FP	220V/110V 50HZ/60HZ	Embraco	1800W	400KG	16CM	Air cooling	52KG	R404a	453*615*525

JMXC170
 Wanbao compressor
 Roller length:9.5cm
 Output:170KG/24H



◯JMXC170

JMXC80F
 Asbeila compressor
 Roller length:9.5cm
 Output:80KG/24H

JMXC125F
 Wanbao compressor
 Roller length:9.5cm
 Output:125KG/24H

JMXC170F
 Wanbao compressor
 Roller length:9.5cm
 Output:170KG/24H



◯JMXC80F

◯JMXC125F

◯JMXC170F

Mark: Voltage default 220V/50HZ
 customizable 220V/60HZ, 110V/60HZ



Name	Model	Voltage	Compressor	Power	Output	Roller	Cooling way	Weight	Refrigerant	Size(mm)
Bingsu machine	JMXC170	220V/110V 50HZ/60HZ	Wanbao	780W	170KG	9.5CM	Water cooling	29KG	R290	320*460*400
Bingsu machine	JMXC80F	220V/110V 50HZ/60HZ	Asbeila	360W	80KG	9.5CM	Air cooling	23KG	R290	320*460*400
Bingsu machine	JMXC125F	220V/110V 50HZ/60HZ	Asbeila	660W	125KG	9.5CM	Air cooling	26KG	R290	320*460*400
Bingsu machine	JMXC170F	220V/110V 50HZ/60HZ	Wanbao	780W	170KG	9.5CM	Air cooling	29KG	R290	320*460*400

JMXC80FD
 Brand compressor
 Roller length:9.5cm
 Output:80KG/24H
 CE

JMXC125FD
 Brand compressor
 Roller length:9.5cm
 Output:125KG/24H
 CE

JMXC170FD
 Brand compressor
 Roller length:9.5cm
 Output:170KG/24H
 CE



OJMXC80FD OJMXC125FD OJMXC170FD

JMX100F2
 Brand compressor
 Roller length:9.5cm
 Output:180KG/24H
 CE



OJMXC100F2

Mark: Voltage default 220V/50HZ
 customizable 220V/60HZ, 110V/60HZ



Name	Model	Voltage	Compressor	Power	Output	Roller	Cooling way	Weight	Refrigerant	Size(mm)
Bingsu machine	JMXC80FD	220V/110V 50HZ/60HZ	Brand Compressor	360W	80KG	9.5CM	Air cooling	23KG	R290	320*460*400
Bingsu machine	JMXC125FD	220V/110V 50HZ/60HZ	Brand Compressor	660W	125KG	9.5CM	Air cooling	26KG	R290	320*460*400
Bingsu machine	JMXC170FD	220V/110V 50HZ/60HZ	Brand Compressor	780W	170KG	9.5CM	Air cooling	29KG	R290	320*460*400
Bingsu machine	JMXC100F2	220V/110V 50HZ/60HZ	Brand Compressor	1000W	180KG	9.5CM	Air cooling	40KG	R290	385*510*525

JMX902
 Imported compressor
 Roller length:9.5cm
 Power:900W

JMXC1302
 Wanbao/jiaxipera
 Roller length:10cm
 Power:1300W



OJMX902

OJMXC1302

JMXC1952
 Wanbao compressor
 Roller length:9.5cm
 Power:1000W

JMX802
 Imported compressor
 Roller length:9.5cm
 Power:880W



OJMX1952

OJMX802

Mark: Voltage default 220V/50HZ
 customizable 220V/60HZ, 110V/60HZ



Name	Model	Voltage	Compressor	Power	Output	Roller	Cooling way	Weight	Refrigerant	Size(mm)
Bingsu machine	JMX902	220V/110V 50HZ/60HZ	Imported Compressor	900W	180KG	9.5CM	Water cooling	42KG	R404a	395*510*525
Bingsu machine	JMXC1302	220V/110V 50HZ/60HZ	Wanbao jiaxipera	1300W	240KG	10CM	Water cooling	48KG	R290	395*510*525
Bingsu machine	JMXC1952	220V/110V 50HZ/60HZ	Wanabo	1000W	180KG	9.5CM	Water cooling	40KG	R290	375*510*490
Bingsu machine	JMX802	220V/110V 50HZ/60HZ	Imported Compressor	880W	180KG	9.5CM	Water cooling	40KG	R404a	375*510*525

JMX1202
 KK compressor
 Roller length:10cm
 Power:1200W

JMXC1203
 Brand compressor
 Roller length:10cm
 Power:1200W



OJMX1202

OJMXC1203

JMX1602
 Embraco compressor
 Roller length:10cm
 Power:1600W

JMXC1603
 Brand compressor
 Roller length:10cm
 Power:1600W



OJMX1602

OJMXC1603

Mark: Voltage default 220V/50HZ
 customizable 220V/60HZ, 110V/60HZ



Name	Model	Voltage	Compressor	Power	Output	Roller	Cooling way	Weight	Refrigerant	Size(mm)
Bingsu machine	JMX1202	220V/110V 50HZ/60HZ	KK	1200W	185KG	10CM	Water cooling	42KG	R404a	400*530*570
Bingsu machine	JMXC1203	220V/110V 50HZ/60HZ	Brand Compressor	1200W	180KG	10CM	Water cooling	40KG	R290	385*535*540
Bingsu machine	JMX1602	220V/110V 50HZ/60HZ	Embraco	1600W	245KG	10CM	Water cooling	56KG	R404a	400*600*570
Bingsu machine	JMXC1603	220V/110V 50HZ/60HZ	Brand Compressor	1600W	240KG	10CM	Water cooling	54KG	R290	385*535*540

JMXC40
 Brand compressor
 Roller length:9cm
 Power:260W

JMXC80
 Brand compressor
 Roller length:9cm
 Power:360W



OJMXC40 OJMXC80

JMXC170D
 Brand compressor
 Roller length:9.5cm
 Power:780W



JMX168
 Imported Compressor
 Roller length:15cm
 Power:1680W



OJMXC170D OJMX168

Mark: Voltage default 220V/50HZ
 customizable 220V/60HZ, 110V/60HZ



Name	Model	Voltage	Compressor	Power	Output	Roller	Cooling way	Weight	Refrigerant	Size(mm)
Bingsu machine	JMXC40	220V/110V 50HZ/60HZ	Brand Compressor	260W	40KG	9CM	Air cooling	13KG	R290	260*445*300
Bingsu machine	JMXC80	220V/110V 50HZ/60HZ	Brand Compressor	360W	80KG	9CM	Air cooling	23KG	R290	260*445*300
Bingsu machine	JMXC170D	220V/110V 50HZ/60HZ	Brand Compressor	780W	170KG	9.5CM	Water cooling	28.5KG	R290	320*460*400
Bingsu machine	JMX168	220V/110V 50HZ/60HZ	Imported Compressor	1680W	288KG	15CM	Water cooling	51.5KG	R404a	395*510*540

JMXC180F9
 Brand compressor
 Roller length:9.5cm
 Power:1000W

JMXC230F10
 Brand compressor
 Roller length:10cm
 Power:1300W



OJMXC180F9

OJMXC230F10

JMXC260F15
 Brand compressor
 Roller length:15cm
 Power:1300W



OJMXC260F15

Mark: Voltage default 220V/50HZ
 customizable 220V/60HZ, 110V/60HZ



Name	Model	Voltage	Compressor	Power	Output	Roller	Cooling way	Weight	Refrigerant	Size(mm)
Bingsu machine	JMXC180F9	220V/110V 50HZ/60HZ	Brand Compressor	1000W	180KG	9.5CM	Air cooling	36.5KG	R290	400*555*535
Bingsu machine	JMXC230F10	220V/110V 50HZ/60HZ	Brand Compressor	1300W	230KG	10CM	Air cooling	39.5KG	R290	400*635*535
Bingsu machine	JMXC260F15	220V/110V 50HZ/60HZ	Brand Compressor	1300W	260KG	15CM	Air cooling	44KG	R290	410*655*540

JMX118
 Imported compressor
 Roller length:9.5cm
 Power:880W



○JMX118

JMX298
 Imported compressor
 Roller length:15cm
 Power:1680W



○JMX298

Mark: Voltage default 220V/50HZ
 customizable 220V/60HZ, 110V/60HZ



Name	Model	Voltage	Compressor	Power	Output	Roller	Cooling way	Weight	Refrigerant	Size(mm)
Bingsu machine	JMX118	220V/110V 50HZ/60HZ	Imported Compressor	880W	180KG	9.5CM	Water cooling	40KG	R404a	375*510*490
Bingsu machine	JMX298	220V/110V 50HZ/60HZ	Imported Compressor	1680W	288KG	15CM	Water cooling	52KG	R404a	415*540*535

STALL MACHINE

Extreme speed ice making, Air cooling, long roller adjustable speed, easy to operate

JMXL128F
 Imported compressor
 Roller length:10cm
 Power:1280W



OJMXL128F

Mark: Voltage default 220V/50HZ
 customizable 220V/60HZ, 110V/60HZ



Name	Model	Voltage	Compressor	Power	Output	Roller	Cooling way	Weight	Refrigerant	Size(mm)
Bingsu machine	JMXL128F	220V/110V 50HZ/60HZ	Imported Compressor	1280W	200KG	10CM	Air cooling	43KG	R404a	395*510*735